

R E C E I V E D D P 1 1 8 2 2020-APR-02





PLANTING PLAN - EAST




RECEIVED
DP1182
2020-APR-02
Current Planning

LANDSCAPING DETAILS



Typical Duplex/ Triplex Landscape Typical Single Family Landscape



PLANTING NOTES


- SOIL DEPTH5: SHRUBS 300mm
 LAWN 100mm
 TREES 300mm AROUND AND BELOW ROOTBALL
- MULCH SHALL BE COMPOST PER SECTION 10 MULCHING OF THE BONTAY BOSIA BC LANDSCAPE STANDARD. MULCH DEPTH. SHALL BE 75mm MINIMUM OVER ALL TREE AND SHRUB PLANTING AREAS.
- PLANT MATERIAL QUALITY, TRANSPORT AND HANDLING SHALL COMPLY WITH BONTAY BOSIA STANDARDS FOR NURSERY STOCK.
- 6. ALL PLANTING AREAS SHALL BE WATERED VIA AN UNDERGROUND AUTOMATIC IRRIGATION SYSTEM, IRRIGATION EMISSION DEVICES SHALL BE LOW VOLUME ROTARY NOZZLES OR MICRO/ DRIP EQUIPMENT.
- 7. PLANT QUANTITIES ARE POR INFORMATION ONLY, IN CASE OF ANY DISCREPANCY THE PLAN SHALL GOVERN.
- 8. ALL PLANT MATERIAL SHALL MATCH SPECIES AS INDICATED ON THE PLANTING LEGEND.
- 10. CHECK FOR LOCATIONS OF WATER LINES AND OTHER UNDERGROUND SERVICES PRIOR TO DIGGING TREE PITS. EXCAVATED PLANT PITS SHALL HAVE POSITIVE DRAINAGE. PLANT PITS WHEN FULLY FLOODED WITH WATER SHALL DRAIN WITHIN ONE HOUR ATTER PILLING.
- 11. NO PLANTS REQUIRING PRUNING OF MAJOR BRANCHES DUE TO DISEASE, DAMAGE OR POOR FORM WILL BE ACCEPTED.
- 12. ALL CALIPRE-STOCK TREES SHALL BE B & B IN WIRE BASKETS.




1	·	, I				_	_
	TYPICAL UNIT LANDSCAPE	December 7, 2017	W	NG	1:100 metric	17-0176	L5 ° 7
	TYPICAL UNI	Date:	Drawn:	Checked:	Scale:	Project Number:	DRAWING NUMBER:

TE .	NOTES	25AUG2017 Pre-application Review	ssion	omission			
REVISION SCHEDULE	ON	Pre-appli	DP Submi	DP Re-submission			
REVISIO	Date	25AUG2017	26SEPT2017 DP Submission	07DEC2017			
J	#	0	1	2			

RECEIVED **DP1182** 2020-APR-02













Flagstone Patios



Boulder Retaining Wall



Rock Staircase



Home in Rock Outcrop



Home on Rock Outcrop



Exposed Rock Outcrop



Re-vegetated Rock Outcrop

Photo



Pho



1